

VIB 0W-30/5W-30 - Report Period: APR 2003
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Aborted	2	5.405
Cancelled	6	16.216
Invalid	2	5.405
Valid	27	72.973
Total Reported Tests	37	100.000

VIB 0W-30/5W-30 - Report Period: APR 2003
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20021031	RSI-267564	Prior To Completion At Sponsor Request
2	20021202	RSI-267860	Prior To Completion At Sponsor Request
3	20021204	RSI-267902	Lab Declaration Of Invalid Test,reason Being Beyondcontrol Of The Lab
4	20021231	RSI-268157	Prior To Completion,reason Being Beyond Control Of The Lab
5	20030107	RSI-268180	Prior To Completion,reason Being Beyond Control Of The Lab
6	20030120	RSI-268273	Prior To Completion At Sponsor Request
7	20030310	RSI-268622	Prior To Completion At Sponsor Request
8	20030310	RSI-268554	Prior To Completion At Sponsor Request
9	20030318	RSI-268683	Prior To Completion At Sponsor Request
10	20030326	RSI-268766	Operationally Invalid,lab Declares Invalid

VIB 0W-30/5W-30 - Report Period: APR 2003
Replicate Database Report

Components of Replicate Database	APR 2003	All Periods
Number of Tests	2	30
Formulations	1	14
Labs	2	5
Stands	2	17

VIB 0W-30/5W-30 - Report Period: APR 2003
by-Formulation Pooled s and Reproducibility of Replicate Data


Report Period	Parameter	Degrees of Freedom	Pooled s	R
APR 2003	FEI1	1	0.52326	1.46513
APR 2003	FEI2	1	0.65761	1.84131
APR 2003	FEI1 (Without SA)	1	0.39598	1.10874
APR 2003	FEI2 (Without SA)	1	0.84853	2.37588
All	FEI1	16	0.30074	0.84207
All	FEI2	16	0.27011	0.75632
All	FEI1 (Without SA)	16	0.27202	0.76166
All	FEI2 (Without SA)	16	0.32068	0.89791

VIB 0W-30/5W-30 - Report Period: APR 2003
Pass/Fail


Report Period	API Category	N	Number Passed	% Passed
APR 2003	All Categories, All Parameters	27	6	22.2222
APR 2003	GF-4 - All Parameters	27	6	22.2222
APR 2003	GF-4, FEI1	27	12	44.4444
APR 2003	GF-4, FEI1 (Without SA)	27	7	25.9259
APR 2003	GF-4, FEI2	27	9	33.3333
APR 2003	GF-4, FEI2 (Without SA)	27	9	33.3333
APR 2003	SL - All Parameters	27	11	40.7407
APR 2003	SL, FEI1	27	15	55.5556
APR 2003	SL, FEI1 (Without SA)	27	13	48.1481
APR 2003	SL, FEI2	27	14	51.8519
APR 2003	SL, FEI2 (Without SA)	27	15	55.5556
All	All Categories, All Parameters	423	40	9.4563
All	GF-4 - All Parameters	423	40	9.4563
All	GF-4, FEI1	423	101	23.8771
All	GF-4, FEI1 (Without SA)	423	87	20.5674
All	GF-4, FEI2	423	70	16.5485
All	GF-4, FEI2 (Without SA)	423	79	18.6761
All	SL - All Parameters	423	119	28.1324
All	SL, FEI1	423	208	49.1726
All	SL, FEI1 (Without SA)	423	191	45.1537
All	SL, FEI2	423	156	36.8794
All	SL, FEI2 (Without SA)	423	162	38.2979

VIB 0W—30/5W—30

Status of Reported Tests



VIB 0W—30/5W—30
Candidate Precision as Represented by Pooled S



VIB 0W—30/5W—30
Candidate Precision as Represented by Pooled S

