

VIB 0W-20/5W-20 - Report Period: OCT 2003
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Cancelled	16	29.630
Invalid	2	3.704
Valid	36	66.667
Total Reported Tests	54	100.000

VIB 0W-20/5W-20 - Report Period: OCT 2003
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20030415	RSI-268903	Prior To Completion At Sponsor Request
2	20030418	RSI-268918	Prior To Completion At Sponsor Request
3	20030509	RSI-269116	Prior To Completion At Sponsor Request
4	20030523	RSI-269210	Prior To Completion At Sponsor Request
5	20030530	RSI-269275	Prior To Completion At Sponsor Request
6	20030530	RSI-269278	Prior To Completion At Sponsor Request
7	20030605	RSI-269320	Prior To Completion At Sponsor Request
8	20030613	RSI-269387	Prior To Completion At Sponsor Request
9	20030613	RSI-269388	Prior To Completion At Sponsor Request
10	20030617	RSI-269415	Prior To Completion At Sponsor Request
11	20030619	RSI-269428	Operationally Invalid,lab Declares Invalid
12	20030711	RSI-269566	Lab Declaration Of Invalid Test,reason Being Beyondcontrol Of The Lab
13	20030716	RSI-269547	Prior To Completion At Sponsor Request
14	20030723	RSI-269648	Prior To Completion At Sponsor Request
15	20030823	RSI-269893	Prior To Completion At Sponsor Request
16	20030829	RSI-269940	Prior To Completion At Sponsor Request
17	20030917	RSI-270108	Prior To Completion At Sponsor Request
18	20030926	RSI-270204	Prior To Completion At Sponsor Request

VIB 0W-20/5W-20 - Report Period: OCT 2003
Replicate Database Report

Components of Replicate Database	OCT 2003	All Periods
Number of Tests	.	13
Formulations	.	6
Labs	.	5
Stands	.	9

VIB 0W-20/5W-20 - Report Period: OCT 2003
by-Formulation Pooled s and Reproducibility of Replicate Data


Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	FEI1	7	0.14683	0.41113
All	FEI2	7	0.25411	0.71152
All	FEI1 (Without SA)	7	0.12451	0.34862
All	FEI2 (Without SA)	7	0.24396	0.68309

VIB 0W-20/5W-20 - Report Period: OCT 2003
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2003	All Categories, All Parameters	36	5	13.8889
OCT 2003	GF-4 - All Parameters	36	5	13.8889
OCT 2003	GF-4, FEI1	36	15	41.6667
OCT 2003	GF-4, FEI1 (Without SA)	36	14	38.8889
OCT 2003	GF-4, FEI2	36	9	25.0000
OCT 2003	GF-4, FEI2 (Without SA)	36	10	27.7778
OCT 2003	SL - All Parameters	36	23	63.8889
OCT 2003	SL, FEI1	36	28	77.7778
OCT 2003	SL, FEI1 (Without SA)	36	21	58.3333
OCT 2003	SL, FEI2	36	26	72.2222
OCT 2003	SL, FEI2 (Without SA)	36	26	72.2222
All	All Categories, All Parameters	220	19	8.6364
All	GF-4 - All Parameters	220	19	8.6364
All	GF-4, FEI1	220	53	24.0909
All	GF-4, FEI1 (Without SA)	220	44	20.0000
All	GF-4, FEI2	220	36	16.3636
All	GF-4, FEI2 (Without SA)	220	40	18.1818
All	SL - All Parameters	220	90	40.9091
All	SL, FEI1	220	130	59.0909
All	SL, FEI1 (Without SA)	220	110	50.0000
All	SL, FEI2	220	113	51.3636
All	SL, FEI2 (Without SA)	220	111	50.4545


VIB 0W—20/5W—20

Status of Reported Tests



VIB 0W—20/5W—20

Candidate Precision as Represented by Pooled S



VIB 0W—20/5W—20

Candidate Precision as Represented by Pooled S

