

VIB vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: OCT 2006
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Cancelled	1	25
Valid	3	75
Total Reported Tests	4	100

VIB vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: OCT 2006
Itemized Lost Test Report

2

Obs	Date	TESTKEY	REASON
1	20060530	RSI-293892	Prior To Completion At Sponsor Request

VIB vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: OCT 2006
Replicate Database Report

Components of Replicate Database	OCT 2006	All Periods
Number of Tests	.	13
Formulations	.	6
Labs	.	5
Stands	.	10

***VIB vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: OCT 2006
by-Formulation Pooled s and Reproducibility of Replicate Data***

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	FEI1	7	0.32256	0.90316
All	FEI2	7	0.51601	1.44483
All	FEI1 (Without SA)	7	0.26709	0.74786
All	FEI2 (Without SA)	7	0.56664	1.58659


VIB vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: OCT 2006
Pass/Fail

5

Report Period	API Category	N	Number Passed	% Passed
OCT 2006	All Categories, All Parameters	3	1	33.333
OCT 2006	GF-4 - All Parameters	3	1	33.333
OCT 2006	GF-4, FEI1	3	2	66.667
OCT 2006	GF-4, FEI1 (Without SA)	3	0	0.000
OCT 2006	GF-4, FEI2	3	1	33.333
OCT 2006	GF-4, FEI2 (Without SA)	3	0	0.000
OCT 2006	SL - All Parameters	3	2	66.667
OCT 2006	SL, FEI1	3	2	66.667
OCT 2006	SL, FEI1 (Without SA)	3	2	66.667
OCT 2006	SL, FEI2	3	3	100.000
OCT 2006	SL, FEI2 (Without SA)	3	1	33.333
All	All Categories, All Parameters	362	86	23.757
All	GF-4 - All Parameters	362	86	23.757
All	GF-4, FEI1	362	210	58.011
All	GF-4, FEI1 (Without SA)	362	201	55.525
All	GF-4, FEI2	362	108	29.834
All	GF-4, FEI2 (Without SA)	362	115	31.768
All	SL - All Parameters	362	186	51.381
All	SL, FEI1	362	294	81.215
All	SL, FEI1 (Without SA)	362	282	77.901
All	SL, FEI2	362	204	56.354
All	SL, FEI2 (Without SA)	362	203	56.077


VIB vis grades other than 0W—20, 5W—20, 0W—30, or 5W—30

Status of Reported Tests



VIB vis grades other than 0W—20, 5W—20, 0W—30, or 5W—30

Candidate Precision as Represented by Pooled S



VIB vis grades other than 0W—20, 5W—20, 0W—30, or 5W—30

Candidate Precision as Represented by Pooled S

