

VIB vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: APR 2007
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Invalid	1	11.111
Valid	8	88.889
Total Reported Tests	9	100.000

VIB vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: APR 2007
Itemized Lost Test Report

2

Obs	Date	TESTKEY	REASON
1	20070112	RSI-298180	Operationally Invalid,lab Declares Invalid

VIB vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: APR 2007
Replicate Database Report

Components of Replicate Database	APR 2007	All Periods
Number of Tests	.	13
Formulations	.	6
Labs	.	5
Stands	.	10

***VIB vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: APR 2007
by-Formulation Pooled s and Reproducibility of Replicate Data***

4

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	FEI1	7	0.32256	0.90316
All	FEI2	7	0.51601	1.44483
All	FEI1 (Without SA)	7	0.26709	0.74786
All	FEI2 (Without SA)	7	0.56664	1.58659


VIB vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: APR 2007
Pass/Fail

5

Report Period	API Category	N	Number Passed	% Passed
APR 2007	All Categories, All Parameters	8	3	37.5000
APR 2007	GF-4 - All Parameters	8	3	37.5000
APR 2007	GF-4, FEI1	8	5	62.5000
APR 2007	GF-4, FEI1 (Without SA)	8	4	50.0000
APR 2007	GF-4, FEI2	8	3	37.5000
APR 2007	GF-4, FEI2 (Without SA)	8	1	12.5000
APR 2007	SL - All Parameters	8	3	37.5000
APR 2007	SL, FEI1	8	5	62.5000
APR 2007	SL, FEI1 (Without SA)	8	5	62.5000
APR 2007	SL, FEI2	8	3	37.5000
APR 2007	SL, FEI2 (Without SA)	8	3	37.5000
All	All Categories, All Parameters	370	89	24.0541
All	GF-4 - All Parameters	370	89	24.0541
All	GF-4, FEI1	370	215	58.1081
All	GF-4, FEI1 (Without SA)	370	205	55.4054
All	GF-4, FEI2	370	111	30.0000
All	GF-4, FEI2 (Without SA)	370	116	31.3514
All	SL - All Parameters	370	189	51.0811
All	SL, FEI1	370	299	80.8108
All	SL, FEI1 (Without SA)	370	287	77.5676
All	SL, FEI2	370	207	55.9459
All	SL, FEI2 (Without SA)	370	206	55.6757


VIB vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30

Status of Reported Tests



VIB vis grades other than 0W—20, 5W—20, 0W—30, or 5W—30

Candidate Precision as Represented by Pooled S



VIB vis grades other than 0W—20, 5W—20, 0W—30, or 5W—30

Candidate Precision as Represented by Pooled S

