

VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: OCT 2013
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Valid	5	100
Total Reported Tests	5	100

VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: OCT 2013
Replicate Database Report

2

Components of Replicate Database	OCT 2013	All Periods
Number of Tests	.	3
Formulations	.	1
Labs	.	2
Stands	.	3

***VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: OCT 2013
by-Formulation Pooled s and Reproducibility of Replicate Data***

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	FEI2	2	0.15716	0.44005
All	FEISUM	2	0.38354	1.07390
All	FEI2 (Without SA)	2	0.25159	0.70447

VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: OCT 2013
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2013	All Categories, All Parameters	5	4	80.000
OCT 2013	SN - All Parameters	5	4	80.000
OCT 2013	SN, FEI2	5	5	100.000
OCT 2013	SN, FEI2 (Without SA)	5	4	80.000
OCT 2013	SN, FEISUM	5	4	80.000
All	All Categories, All Parameters	127	66	51.969
All	SN - All Parameters	127	66	51.969
All	SN, FEI2	127	72	56.693
All	SN, FEI2 (Without SA)	127	57	44.882
All	SN, FEISUM	127	74	58.268




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30
Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30
Candidate Precision as Represented by Pooled S

