

VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: APR 2015
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Cancelled	2	22.222
Valid	7	77.778
Total Reported Tests	9	100.000

VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: APR 2015
Itemized Lost Test Report

2

Obs	Date	TESTKEY	REASON
1	20141016	ACC-14767	Test Terminated At Test Hour 85 At Sponsor Request.
2	20141111	ACC-14884	Test Terminated At Test Hour 53 At Sponsor Request.

VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: APR 2015
Replicate Database Report

Components of Replicate Database	APR 2015	All Periods
Number of Tests	.	3
Formulations	.	1
Labs	.	2
Stands	.	3

***VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: APR 2015
by-Formulation Pooled s and Reproducibility of Replicate Data***

4

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	FEI2	2	0.15716	0.44005
All	FEISUM	2	0.38354	1.07390
All	FEI2 (Without SA)	2	0.25159	0.70447

VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: APR 2015
Pass/Fail

5

Report Period	API Category	N	Number Passed	% Passed
APR 2015	All Categories, All Parameters	7	4	57.1429
APR 2015	SN - All Parameters	7	4	57.1429
APR 2015	SN, FEI2	7	4	57.1429
APR 2015	SN, FEI2 (Without SA)	7	4	57.1429
APR 2015	SN, FEISUM	7	4	57.1429
All	All Categories, All Parameters	146	78	53.4247
All	SN - All Parameters	146	78	53.4247
All	SN, FEI2	146	84	57.5342
All	SN, FEI2 (Without SA)	146	69	47.2603
All	SN, FEISUM	146	88	60.2740




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30
Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30

Candidate Precision as Represented by Pooled S

