

VID 0W-30/5W-30 - Report Period: APR 2015
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Cancelled	1	6.667
Valid	14	93.333
Total Reported Tests	15	100.000

VID 0W-30/5W-30 - Report Period: APR 2015
Itemized Lost Test Report

2

Obs	Date	TESTKEY	REASON
1	20150319	ACC-15657	Test Terminated At Test Hour 50 At Sponsor Request

VID 0W-30/5W-30 - Report Period: APR 2015
Replicate Database Report

Components of Replicate Database	APR 2015	All Periods
Number of Tests	1	28
Formulations	1	10
Labs	1	4
Stands	1	12

VID 0W-30/5W-30 - Report Period: APR 2015
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
APR 2015	FEI2	0	0.00000	0.00000
APR 2015	FEISUM	0	0.00000	0.00000
APR 2015	FEI2 (Without SA)	0	0.00000	0.00000
All	FEI2	18	0.20004	0.56011
All	FEISUM	18	0.43178	1.20899
All	FEI2 (Without SA)	18	0.26266	0.73546

VID 0W-30/5W-30 - Report Period: APR 2015
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2015	All Categories, All Parameters	14	0	0.0000
APR 2015	SN - All Parameters	14	0	0.0000
APR 2015	SN, FEI2	14	2	14.2857
APR 2015	SN, FEI2 (Without SA)	14	1	7.1429
APR 2015	SN, FEISUM	14	1	7.1429
All	All Categories, All Parameters	379	88	23.2190
All	SN - All Parameters	379	88	23.2190
All	SN, FEI2	379	102	26.9129
All	SN, FEI2 (Without SA)	379	73	19.2612
All	SN, FEISUM	379	151	39.8417




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VID 0W-30/5W-30

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VID 0W-30/5W-30

Candidate Precision as Represented by Pooled S

