

VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: OCT 2015
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Valid	3	100
Total Reported Tests	3	100

VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: OCT 2015
Replicate Database Report

2

Components of Replicate Database	OCT 2015	All Periods
Number of Tests	.	3
Formulations	.	1
Labs	.	2
Stands	.	3

***VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: OCT 2015
by-Formulation Pooled s and Reproducibility of Replicate Data***

3

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	FEI2	2	0.15716	0.44005
All	FEISUM	2	0.38354	1.07390
All	FEI2 (Without SA)	2	0.25159	0.70447

VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: OCT 2015
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2015	All Categories, All Parameters	3	1	33.333
OCT 2015	SN - All Parameters	3	1	33.333
OCT 2015	SN, FEI2	3	1	33.333
OCT 2015	SN, FEI2 (Without SA)	3	2	66.667
OCT 2015	SN, FEISUM	3	3	100.000
All	All Categories, All Parameters	149	79	53.020
All	SN - All Parameters	149	79	53.020
All	SN, FEI2	149	85	57.047
All	SN, FEI2 (Without SA)	149	71	47.651
All	SN, FEISUM	149	91	61.074




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30
Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30
Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30
Candidate Precision as Represented by Pooled S

