

VID 0W-30/5W-30 - Report Period: APR 2017
Status Of Reported Tests

STATUS	COUNT	PERCENT
Cancelled	2	12.50
Invalid	1	6.25
Valid	13	81.25
Total Reported Tests	16	100.00

VID 0W-30/5W-30 - Report Period: APR 2017
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20161004	ACC-19185	Test Terminated At Test Hour 123 At Sponsor Request
2	20170103	ACC-19778	Test Declared Invalid For Oil Consumption That Exceeds The Procedure Limit Of 1400ml.
3	20170313	ACC-20077	Test Terminated At Test Hour 74 At Sponsor Request.

VID 0W-30/5W-30 - Report Period: APR 2017
Replicate Database Report

Components of Replicate Database	APR 2017	All Periods
Number of Tests	.	31
Formulations	.	10
Labs	.	4
Stands	.	12

VID 0W-30/5W-30 - Report Period: APR 2017
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	FEI2	21	0.21267	0.59547
All	FEISUM	21	0.43049	1.20537
All	FEI2 (Without SA)	21	0.26299	0.73637

VID 0W-30/5W-30 - Report Period: APR 2017
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2017	All Categories, All Parameters	13	0	0.0000
APR 2017	SN - All Parameters	13	0	0.0000
APR 2017	SN, FEI2	13	0	0.0000
APR 2017	SN, FEI2 (Without SA)	13	0	0.0000
APR 2017	SN, FEISUM	13	1	7.6923
All	All Categories, All Parameters	460	93	20.2174
All	SN - All Parameters	460	93	20.2174
All	SN, FEI2	460	108	23.4783
All	SN, FEI2 (Without SA)	460	76	16.5217
All	SN, FEISUM	460	160	34.7826




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VID 0W-30/5W-30

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VID 0W-30/5W-30

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VID 0W-30/5W-30

Candidate Precision as Represented by Pooled S

