

VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: APR 2020
Replicate Database Report

1

Components of Replicate Database	APR 2020	All Periods
Number of Tests	.	3
Formulations	.	1
Labs	.	2
Stands	.	3

VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: APR 2020
by-Formulation Pooled s and Reproducibility of Replicate Data

2

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	FEI2	2	0.15716	0.44005
All	FEISUM	2	0.38354	1.07390
All	FEI2 (Without SA)	2	0.25159	0.70447

VID vis grades other than 0W-20, 5W-20, 0W-30, or 5W-30 - Report Period: APR 2020
Pass/Fail

3

Report Period	API Category	N	Number Passed	% Passed
All	All Categories, All Parameters	161	90	55.9006
All	SN - All Parameters	161	90	55.9006
All	SN, FEI2	161	96	59.6273
All	SN, FEI2 (Without SA)	161	82	50.9317
All	SN, FEISUM	161	102	63.3540




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VID vis grades other than 0W—20, 5W—20, 0W—30, or 5W—30

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VID vis grades other than 0W—20, 5W—20, 0W—30, or 5W—30

Candidate Precision as Represented by Pooled S

