

VIE 0W-30/5W-30 - Report Period: OCT 2018
Status Of Reported Tests

STATUS	COUNT	PERCENT
Cancelled	3	6.977
Valid	40	93.023
Total Reported Tests	43	100.000

VIE 0W-30/5W-30 - Report Period: OCT 2018
Itemized Lost Test Report

2

Obs	Date	TESTKEY	REASON
1	20180509	ACC-22824	Test Terminated At Test Hour 159 At Sponsor Request.
2	20180608	ACC-22881	Test Terminated At Test Hour 153 At Sponsor Request.
3	20180912	ACC-23722	Test Terminated At Test Hour 86 At Sponsor Request.

VIE 0W-30/5W-30 - Report Period: OCT 2018
Replicate Database Report

Components of Replicate Database	OCT 2018	All Periods
Number of Tests	.	8
Formulations	.	4
Labs	.	2
Stands	.	7

VIE 0W-30/5W-30 - Report Period: OCT 2018
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	FEI2	4	0.31139	0.87189
All	FEISUM	4	0.32150	0.90020
All	FEI2 (Without SA)	4	0.43984	1.23156

VIE 0W-30/5W-30 - Report Period: OCT 2018
Pass/Fail

5

Report Period	API Category	N	Number Passed	% Passed
OCT 2018	All Categories, All Parameters	40	5	12.5000
OCT 2018	ILSAC - All Parameters	40	5	12.5000
OCT 2018	ILSAC, FEI2	40	9	22.5000
OCT 2018	ILSAC, FEI2 (Without SA)	40	2	5.0000
OCT 2018	ILSAC, FEISUM	40	14	35.0000
All	All Categories, All Parameters	126	7	5.5556
All	ILSAC - All Parameters	126	7	5.5556
All	ILSAC, FEI2	126	13	10.3175
All	ILSAC, FEI2 (Without SA)	126	4	3.1746
All	ILSAC, FEISUM	126	21	16.6667




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VIE 0W-30/5W-30

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VIE 0W-30/5W-30

Candidate Precision as Represented by Pooled S

