

VIE vis grade 10W-30 - Report Period: OCT 2019
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Valid	3	100
Total Reported Tests	3	100

VIE vis grade 10W-30 - Report Period: OCT 2019
Replicate Database Report

Components of Replicate Database	OCT 2019	All Periods
Number of Tests	.	.
Formulations	.	.
Labs	.	.
Stands	.	.

VIE vis grade 10W-30 - Report Period: OCT 2019
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	FEI2	21	0.21267	0.59547
All	FEISUM	21	0.43049	1.20537
All	FEI2 (Without SA)	21	0.26299	0.73637
All	FEI2	21	0.21267	0.59547
All	FEISUM	21	0.43049	1.20537
All	FEI2 (Without SA)	21	0.26299	0.73637

VIE vis grade 10W-30 - Report Period: OCT 2019
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2019	All Categories, All Parameters	3	2	66.6667
OCT 2019	ILSAC - All Parameters	3	2	66.6667
OCT 2019	ILSAC, FEI2	3	2	66.6667
OCT 2019	ILSAC, FEI2 (Without SA)	3	1	33.3333
OCT 2019	ILSAC, FEISUM	3	2	66.6667
All	All Categories, All Parameters	20	10	50.0000
All	ILSAC - All Parameters	20	10	50.0000
All	ILSAC, FEI2	20	13	65.0000
All	ILSAC, FEI2 (Without SA)	20	4	20.0000
All	ILSAC, FEISUM	20	11	55.0000




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VIE vis grade 10W—30

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VIE vis grade 10W-30

Candidate Precision as Represented by Pooled S



Report
Period

Monday, October 7, 2019