

VIE 0W-20/5W-20 - Report Period: OCT 2019
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Aborted	3	5.660
Cancelled	11	20.755
Invalid	2	3.774
Valid	37	69.811
Total Reported Tests	53	100.000

VIE 0W-20/5W-20 - Report Period: OCT 2019
Itemized Lost Test Report

2

Obs	Date	TESTKEY	REASON
1	20190408	ACC-25025	No Explanation Available
2	20190426	ACC-25122	Test Terminated At Sponsor Request.
3	20190523	ACC-25353	No Explanation Available
4	20190528	ACC-25375	No Explanation Available
5	20190528	ACC-25416	No Explanation Available
6	20190610	ACC-25532	No Explanation Available
7	20190624	ACC-25657	No Explanation Available
8	20190711	ACC-25727	No Explanation Available
9	20190719	ACC-25832	No Explanation Available
10	20190725	ACC-25839	No Explanation Available
11	20190730	ACC-25935	No Explanation Available
12	20190801	ACC-25815	No Explanation Available
13	20190802	ACC-25965	No Explanation Available
14	20190815	ACC-26070	No Explanation Available
15	20190819	ACC-26091	No Explanation Available
16	20190904	ACC-26289	No Explanation Available

VIE 0W-20/5W-20 - Report Period: OCT 2019
Replicate Database Report

Components of Replicate Database	OCT 2019	All Periods
Number of Tests	.	7
Formulations	.	3
Labs	.	2
Stands	.	6

VIE 0W-20/5W-20 - Report Period: OCT 2019
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	FEI2	4	0.25008	0.70023
All	FEISUM	4	0.30684	0.85915
All	FEI2 (Without SA)	4	0.26627	0.74556

VIE 0W-20/5W-20 - Report Period: OCT 2019
Pass/Fail

5

Report Period	API Category	N	Number Passed	% Passed
OCT 2019	All Categories, All Parameters	37	9	24.3243
OCT 2019	ILSAC - All Parameters	37	9	24.3243
OCT 2019	ILSAC, FEI2	37	10	27.0270
OCT 2019	ILSAC, FEI2 (Without SA)	37	4	10.8108
OCT 2019	ILSAC, FEISUM	37	14	37.8378
All	All Categories, All Parameters	252	29	11.5079
All	ILSAC - All Parameters	252	29	11.5079
All	ILSAC, FEI2	252	37	14.6825
All	ILSAC, FEI2 (Without SA)	252	13	5.1587
All	ILSAC, FEISUM	252	49	19.4444




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VIE 0W—20/5W—20

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VIE 0W—20/5W—20

Candidate Precision as Represented by Pooled S

