

VIE 0W-30/5W-30 - Report Period: OCT 2020
Where SAE vis grade is 0W-30 or 5W-30
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Aborted	1	5.263
Cancelled	6	31.579
Valid	12	63.158
Total Reported Tests	19	100.000

VIE 0W-30/5W-30 - Report Period: OCT 2020
Where SAE vis grade is 0W-30 or 5W-30
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20200818	ACC-28613	No Explanation Available
2	20200819	ACC-28664	Test Aborted For Excessive Shutdowns.
3	20200904	ACC-28747	No Explanation Available
4	20200909	ACC-28756	No Explanation Available
5	20200911	ACC-28776	No Explanation Available
6	20200914	ACC-28777	No Explanation Available
7	20200918	ACC-28791	No Explanation Available

VIE 0W-30/5W-30 - Report Period: OCT 2020
Where SAE vis grade is 0W-30 or 5W-30
Replicate Database Report

Components of Replicate Database	OCT 2020	All Periods
Number of Tests	.	12
Formulations	.	5
Labs	.	2
Stands	.	10

VIE 0W-30/5W-30 - Report Period: OCT 2020
Where SAE vis grade is 0W-30 or 5W-30
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	FEI2	7	0.25593	0.71660
All	FEISUM	7	0.32799	0.91838
All	FEI2 (Without SA)	7	0.36604	1.02491

VIE 0W-30/5W-30 - Report Period: OCT 2020
Where SAE vis grade is 0W-30 or 5W-30
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2020	All Categories, All Parameters	12	4	33.3333
OCT 2020	ILSAC - All Parameters	12	4	33.3333
OCT 2020	ILSAC, FEI2	12	4	33.3333
OCT 2020	ILSAC, FEI2 (Without SA)	12	1	8.3333
OCT 2020	ILSAC, FEISUM	12	4	33.3333
All	All Categories, All Parameters	224	25	11.1607
All	ILSAC - All Parameters	224	25	11.1607
All	ILSAC, FEI2	224	37	16.5179
All	ILSAC, FEI2 (Without SA)	224	7	3.1250
All	ILSAC, FEISUM	224	45	20.0893



Monitoring Agency


6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VIE 0W—30/5W—30

Where SAE vis grade is 0W—30 or 5W—30

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VIE 0W—30/5W—30

Where SAE vis grade is 0W—30 or 5W—30
Candidate Precision as Represented by Pooled S

