

VIE 0W-20/5W-20 - Report Period: APR 2021
Where SAE vis grade is 0W-20 or 5W-20
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Aborted	2	4.545
Cancelled	3	6.818
Invalid	2	4.545
Valid	37	84.091
Total Reported Tests	44	100.000

VIE 0W-20/5W-20 - Report Period: APR 2021
Where SAE vis grade is 0W-20 or 5W-20
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20201113	ACC-29192	No Explanation Available
2	20201214	ACC-29447	No Explanation Available
3	20210126	ACC-29636	No Explanation Available
4	20210205	ACC-29687	No Explanation Available
5	20210209	ACC-29701	No Explanation Available
6	20210309	ACC-29881	No Explanation Available
7	20210312	ACC-29907	No Explanation Available

VIE 0W-20/5W-20 - Report Period: APR 2021
Where SAE vis grade is 0W-20 or 5W-20
Replicate Database Report

Components of Replicate Database	APR 2021	All Periods
Number of Tests	.	7
Formulations	.	3
Labs	.	2
Stands	.	6

VIE 0W-20/5W-20 - Report Period: APR 2021
Where SAE vis grade is 0W-20 or 5W-20
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	FEI2	4	0.25008	0.70023
All	FEISUM	4	0.30684	0.85915
All	FEI2 (Without SA)	4	0.26627	0.74556

VIE 0W-20/5W-20 - Report Period: APR 2021
Where SAE vis grade is 0W-20 or 5W-20
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2021	All Categories, All Parameters	37	5	13.5135
APR 2021	ILSAC - All Parameters	37	5	13.5135
APR 2021	ILSAC, FEI2	37	9	24.3243
APR 2021	ILSAC, FEI2 (Without SA)	37	2	5.4054
APR 2021	ILSAC, FEISUM	37	8	21.6216
All	All Categories, All Parameters	355	42	11.8310
All	ILSAC - All Parameters	355	42	11.8310
All	ILSAC, FEI2	355	55	15.4930
All	ILSAC, FEI2 (Without SA)	355	17	4.7887
All	ILSAC, FEISUM	355	72	20.2817



Monitoring Agency


6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VIE 0W—20/5W—20

Where SAE vis grade is 0W—20 or 5W—20

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VIE 0W-20/5W-20

Where SAE vis grade is 0W-20 or 5W-20
Candidate Precision as Represented by Pooled S

