

**VIE vis grade 10W-30 - Report Period: APR 2022**  
**Where SAE vis grade is 10W-30**  
**Status Of Reported Tests**

1

STATUS	COUNT	PERCENT
Aborted	1	50
Valid	1	50
Total Reported Tests	2	100

**VIE vis grade 10W-30 - Report Period: APR 2022**  
**Where SAE vis grade is 10W-30**  
**Itemized Lost Test Report**

2

Obs	Date	TESTKEY	REASON
1	20211116	ACC-31323	No Explanation Available

**VIE vis grade 10W-30 - Report Period: APR 2022**  
**Where SAE vis grade is 10W-30**  
**Replicate Database Report**

Components of Replicate Database	APR 2022	All Periods
Number of Tests	.	2
Formulations	.	1
Labs	.	1
Stands	.	2

**VIE vis grade 10W-30 - Report Period: APR 2022**  
**Where SAE vis grade is 10W-30**  
**by-Formulation Pooled s and Reproducibility of Replicate Data**

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	FEI2	1	0.14142	0.39598
All	FEISUM	1	0.06364	0.17819
All	FEI2 (Without SA)	1	0.05657	0.15839

**VIE vis grade 10W-30 - Report Period: APR 2022**  
**Where SAE vis grade is 10W-30**  
**Pass/Fail**

Report Period	API Category	N	Number Passed	% Passed
APR 2022	All Categories, All Parameters	1	0	0.0000
APR 2022	ILSAC - All Parameters	1	0	0.0000
APR 2022	ILSAC, FEI2	1	0	0.0000
APR 2022	ILSAC, FEI2 (Without SA)	1	0	0.0000
APR 2022	ILSAC, FEISUM	1	0	0.0000
All	All Categories, All Parameters	35	13	37.1429
All	ILSAC - All Parameters	35	13	37.1429
All	ILSAC, FEI2	35	17	48.5714
All	ILSAC, FEI2 (Without SA)	35	6	17.1429
All	ILSAC, FEISUM	35	14	40.0000



# Monitoring Agency


6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

## VIE vis grade 10W–30

Where SAE vis grade is 10W–30

### Status of Reported Tests







# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

## VIE vis grade 10W—30

Where SAE vis grade is 10W—30

Candidate Precision as Represented by Pooled S

