

VIF vis grade 0W-16 - Report Period: OCT 2019
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Aborted	1	2.128
Cancelled	10	21.277
Valid	36	76.596
Total Reported Tests	47	100.000

VIF vis grade 0W-16 - Report Period: OCT 2019
Itemized Lost Test Report

2

Obs	Date	TESTKEY	REASON
1	20190408	ACC-25032	No Explanation Available
2	20190412	ACC-25053	No Explanation Available
3	20190506	ACC-25183	No Explanation Available
4	20190528	ACC-25377	No Explanation Available
5	20190529	ACC-25422	No Explanation Available
6	20190725	ACC-25769	No Explanation Available
7	20190809	ACC-26046	No Explanation Available
8	20190822	ACC-26174	No Explanation Available
9	20190904	ACC-26288	No Explanation Available
10	20190906	ACC-26265	No Explanation Available
11	20190927	ACC-26538	No Explanation Available

VIF vis grade 0W-16 - Report Period: OCT 2019
Replicate Database Report

Components of Replicate Database	OCT 2019	All Periods
Number of Tests	.	.
Formulations	.	.
Labs	.	.
Stands	.	.

VIF vis grade 0W-16 - Report Period: OCT 2019
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
OCT 2019	FEI2	1	0.14849	0.41578
OCT 2019	FEISUM	1	0.11314	0.31678
OCT 2019	FEI2 (Without SA)	1	0.37477	1.04935
All	FEI2	7	0.25593	0.71660
All	FEISUM	7	0.32799	0.91838
All	FEI2 (Without SA)	7	0.36604	1.02491
All	FEI2	7	0.25593	0.71660
All	FEISUM	7	0.32799	0.91838
All	FEI2 (Without SA)	7	0.36604	1.02491

VIF vis grade 0W-16 - Report Period: OCT 2019
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2019	All Categories, All Parameters	36	0	0.00000
OCT 2019	ILSAC - All Parameters	36	0	0.00000
OCT 2019	ILSAC, FEI2	36	3	8.33333
OCT 2019	ILSAC, FEI2 (Without SA)	36	0	0.00000
OCT 2019	ILSAC, FEISUM	36	1	2.77778
All	All Categories, All Parameters	115	.	.
All	ILSAC - All Parameters	115	.	.
All	ILSAC, FEI2	115	7	6.08696
All	ILSAC, FEI2 (Without SA)	115	2	1.73913
All	ILSAC, FEISUM	115	5	4.34783




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VIF vis grade 0W-16

Status of Reported Tests



Monday, October 7, 2019



Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VIF vis grade 0W-16

Candidate Precision as Represented by Pooled S

