

VIII - Report Period: OCT 2016
Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	2	4.082
Cancelled	1	2.041
Valid	46	93.878
Total Reported Tests	49	100.000

VIII - Report Period: OCT 2016
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20160802	ACC-18795	Test Aborted Due To Excessive Shutdowns During Break-In.
2	20160815	ACC-18649	Test Terminated At Test Hour 17 At Sponsor Request.
3	20160916	ACC-18885	Test Terminated During Break-In Due To Engine Mount Failure,

VIII - Report Period: OCT 2016
Replicate Database Report

Components of Replicate Database	OCT 2016	All Periods
Number of Tests	.	89
Formulations	.	35
Labs	.	3
Stands	.	9

VIII - Report Period: OCT 2016
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	BWL	54	12.6011	35.2830
All	BWL (Without SA)	54	12.5546	35.1527

VIII - Report Period: OCT 2016
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2016	All Categories, All Parameters	46	45	97.8261
OCT 2016	SN - All Parameters	46	45	97.8261
OCT 2016	SN, BWL	46	45	97.8261
OCT 2016	SN, BWL (Without SA)	46	45	97.8261
All	All Categories, All Parameters	1742	1396	80.1378
All	SN - All Parameters	1742	1396	80.1378
All	SN, BWL	1742	1396	80.1378
All	SN, BWL (Without SA)	1742	1384	79.4489




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VIII
Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VIII

Candidate Precision as Represented by Pooled S



Report
Period



Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VIII

Candidate Precision as Represented by Pooled S

