

Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	3	7.692
Valid	36	92.308
Total Reported Tests	39	100.000

Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20200427	ACC-28117	No Explanation Available
2	20200427	ACC-28116	No Explanation Available
3	20200820	ACC-28671	No Explanation Available

Replicate Database Report

Components of Replicate Database	OCT 2020	All Periods
Number of Tests	.	99
Formulations	.	39
Labs	.	3
Stands	.	9

by-Formulation Pooled s and Reproducibility of Replicate Data


Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	BWL	60	11.9893	33.5700
All	BWL (Without SA)	60	11.9489	33.4569

VIII - Report Period: OCT 2020**5****Pass/Fail**
BWL <=26.0

Report Period	API Category	N	Number Passed	% Passed
OCT 2020	All Categories, All Parameters	36	30	83.3333
OCT 2020	SN - All Parameters	36	30	83.3333
OCT 2020	SN, BWL	36	30	83.3333
OCT 2020	SN, BWL (Without SA)	36	29	80.5556
All	All Categories, All Parameters	2107	1709	81.1106
All	SN - All Parameters	2107	1709	81.1106
All	SN, BWL	2107	1709	81.1106
All	SN, BWL (Without SA)	2107	1689	80.1614

VIII

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VIII

Candidate Precision as Represented by Pooled S

