

Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	63	100
Total Reported Tests	63	100

Replicate Database Report

Components of Replicate Database	APR 2022	All Periods
Number of Tests	.	99
Formulations	.	39
Labs	.	3
Stands	.	9

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	BWL	60	11.9893	33.5700
All	BWL (Without SA)	60	11.9489	33.4569

VIII - Report Period: APR 2022**4****Pass/Fail**
BWL <=26.0

Report Period	API Category	N	Number Passed	% Passed
APR 2022	All Categories, All Parameters	63	60	95.2381
APR 2022	SN - All Parameters	63	60	95.2381
APR 2022	SN, BWL	63	60	95.2381
APR 2022	SN, BWL (Without SA)	63	60	95.2381
All	All Categories, All Parameters	2287	1880	82.2038
All	SN - All Parameters	2287	1880	82.2038
All	SN, BWL	2287	1880	82.2038
All	SN, BWL (Without SA)	2287	1859	81.2855




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VIII

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VIII

Candidate Precision as Represented by Pooled S

