

**Status Of Reported Tests**

STATUS	COUNT	PERCENT
Aborted	1	1.538
Valid	64	98.462
Total Reported Tests	65	100.000

**Itemized Lost Test Report**

Obs	Date	TESTKEY	REASON
1	20211221	ACC-31520	No Explanation Available

**Replicate Database Report**

Components of Replicate Database	APR 2022	All Periods
Number of Tests	.	99
Formulations	.	39
Labs	.	3
Stands	.	9

**by-Formulation Pooled s and Reproducibility of Replicate Data**

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	BWL	60	11.9893	33.5700
All	BWL (Without SA)	60	11.9489	33.4569

**Pass/Fail**  
BWL <=26.0

Report Period	API Category	N	Number Passed	% Passed
APR 2022	All Categories, All Parameters	64	61	95.3125
APR 2022	SN - All Parameters	64	61	95.3125
APR 2022	SN, BWL	64	61	95.3125
APR 2022	SN, BWL (Without SA)	64	61	95.3125
All	All Categories, All Parameters	2288	1881	82.2115
All	SN - All Parameters	2288	1881	82.2115
All	SN, BWL	2288	1881	82.2115
All	SN, BWL (Without SA)	2288	1860	81.2937




# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

## VIII

### Status of Reported Tests





# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

## VIII

Candidate Precision as Represented by Pooled S

