

Status Of Reported Tests

STATUS	COUNT	PERCENT
Valid	33	100
Total Reported Tests	33	100

Replicate Database Report

Components of Replicate Database	APR 2023	All Periods
Number of Tests	.	103
Formulations	.	41
Labs	.	3
Stands	.	9

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	BWL	62	11.8790	33.2611
All	BWL (Without SA)	62	11.8395	33.1506

VIII - Report Period: APR 2023**4****Pass/Fail**
BWL <=26.0

Report Period	API Category	N	Number Passed	% Passed
APR 2023	All Categories, All Parameters	33	28	84.8485
APR 2023	SN - All Parameters	33	28	84.8485
APR 2023	SN, BWL	33	28	84.8485
APR 2023	SN, BWL (Without SA)	33	28	84.8485
All	All Categories, All Parameters	2369	1955	82.5243
All	SN - All Parameters	2369	1955	82.5243
All	SN, BWL	2369	1955	82.5243
All	SN, BWL (Without SA)	2369	1934	81.6378




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VIII

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VIII

Candidate Precision as Represented by Pooled S

