

Status Of Reported Tests

STATUS	COUNT	PERCENT
Invalid	1	9.091
Valid	10	90.909
Total Reported Tests	11	100.000

Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20191217	ACC-27329	No Explanation Available

Replicate Database Report

Components of Replicate Database	APR 2020	All Periods
Number of Tests	2	32
Formulations	1	15
Labs	1	3
Stands	1	5

by-Formulation Pooled s and Reproducibility of Replicate Data


Report Period	Parameter	Degrees of Freedom	Pooled s	R
APR 2020	WEAR	1	0.007071	0.019799
APR 2020	WEAR (Without SA)	1	0.007071	0.019799
All	WEAR	17	0.033534	0.093894
All	WEAR (Without SA)	17	0.033534	0.093894

Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2020	All Categories, All Parameters	10	6	60.0000
APR 2020	CJ-4 - All Parameters	10	6	60.0000
APR 2020	CJ-4, WEAR	10	6	60.0000
APR 2020	CJ-4, WEAR (Without SA)	10	6	60.0000
All	All Categories, All Parameters	745	571	76.6443
All	CJ-4 - All Parameters	745	571	76.6443
All	CJ-4, WEAR	745	571	76.6443
All	CJ-4, WEAR (Without SA)	745	571	76.6443

RFWT

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

RFWT

Candidate Precision as Represented by Pooled S

