

**Status Of Reported Tests**

STATUS	COUNT	PERCENT
Valid	5	100
Total Reported Tests	5	100

**Replicate Database Report**

Components of Replicate Database	APR 2023	All Periods
Number of Tests	.	40
Formulations	.	18
Labs	.	3
Stands	.	5

**by-Formulation Pooled s and Reproducibility of Replicate Data**

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	WEAR	22	0.033643	0.094199
All	WEAR (Without SA)	22	0.033643	0.094199

**Pass/Fail**  
WEAR <=0.30

Report Period	API Category	N	Number Passed	% Passed
APR 2023	All Categories, All Parameters	5	5	100.000
APR 2023	CJ-4 - All Parameters	5	5	100.000
APR 2023	CJ-4, WEAR	5	5	100.000
APR 2023	CJ-4, WEAR (Without SA)	5	5	100.000
All	All Categories, All Parameters	789	604	76.553
All	CJ-4 - All Parameters	789	604	76.553
All	CJ-4, WEAR	789	604	76.553
All	CJ-4, WEAR (Without SA)	789	604	76.553




# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

## RFWT

### Status of Reported Tests





# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

## RFWT

Candidate Precision as Represented by Pooled S

