

C13 - Report Period: APR 2019
Status Of Reported Tests

1

STATUS	COUNT	PERCENT
Valid	12	100
Total Reported Tests	12	100

C13 - Report Period: APR 2019
Replicate Database Report

Components of Replicate Database	APR 2019	All Periods
Number of Tests	.	4
Formulations	.	2
Labs	.	2
Stands	.	3

C13 - Report Period: APR 2019
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	TOTMER	2	182.615	511.323

C13 - Report Period: APR 2019
Pass/Fail


Report Period	API Category	N	Number Passed	% Passed
APR 2019	All Categories, All Parameters	12	6	50.000
APR 2019	CJ-4 - All Parameters	12	6	50.000
APR 2019	CJ-4, STUCKRNG	12	12	100.000
APR 2019	CJ-4, TOTMER	12	6	50.000
All	All Categories, All Parameters	305	174	57.049
All	CJ-4 - All Parameters	305	174	57.049
All	CJ-4, STUCKRNG	305	297	97.377
All	CJ-4, TOTMER	305	175	57.377



Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

C13

Candidate Precision as Represented by Pooled S

190
180
170
160
150
140
130
120
110
100
90
80
70
60
50
40
30
20
10
0

All APR 2019 OCT 2018 APR 2018 OCT 2017

Report
Period

TOTMER