

ACC Monitoring Agency

203 Armstrong Drive, Freeport, PA 16229, USA


<https://www.acc-ma.org>
412-365-1000

Services provided by:



A Program of ASTM International

M11 EGR Operationally Valid Candidate Data
Parameter: ACWL, Average Crosshead Weight Loss (units=mg)
Where validity is 'V1' or 'VQ' and SAE vis grade is 15W-40



ACC Monitoring Agency

203 Armstrong Drive, Freeport, PA 16229, USA


<https://www.acc-ma.org>
412-365-1000

Services provided by:



A Program of ASTM International

M11 EGR Operationally Valid Candidate Data
Parameter: OILDP, Oil Filter Plugging Delta P (units=kPa)
Where validity is 'VI' or 'VQ' and SAE vis grade is 15W-40



ACC Monitoring Agency

203 Armstrong Drive, Freeport, PA 16229, USA


<https://www.acc-ma.org>
412-365-1000

Services provided by:



A Program of ASTM International

M11 EGR Operationally Valid Candidate Data
Parameter: ASRT, Average Sludge Rating (units=Merits)
Where validity is 'V1' or 'VQ' and SAE vis grade is 15W-40



ACC Monitoring Agency

203 Armstrong Drive, Freeport, PA 16229, USA

<https://www.acc-ma.org>
412-365-1000

Services provided by:



A Program of ASTM International

M11 EGR Operationally Valid Candidate Data
Parameter: ARWLT, Average Top Ring Weight Loss (units=mg)
Where validity is 'V1' or 'VQ' and SAE vis grade is 15W-40

