

Status Of Reported Tests

STATUS	COUNT	PERCENT
Cancelled	1	5
Valid	19	95
Total Reported Tests	20	100

Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20210125	ACC-29641	No Explanation Available

Replicate Database Report

Components of Replicate Database	APR 2021	All Periods
Number of Tests	.	8
Formulations	.	4
Labs	.	3
Stands	.	7

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	IRPH360	4	32.0770	89.8156
All	KV40PC	4	28.9540	81.0712
All	IRPH360 (Without SA)	4	30.5978	85.6737
All	KV40PC (Without SA)	4	23.0910	64.6548

Pass/Fail
 IRPH360 <=125 KV40PC <=75

Report Period	API Category	N	Number Passed	% Passed
APR 2021	All Categories, All Parameters	19	19	100.000
APR 2021	CK - All Parameters	19	19	100.000
APR 2021	CK, IRPH360	19	19	100.000
APR 2021	CK, IRPH360 (Without SA)	19	19	100.000
APR 2021	CK, KV40PC	19	19	100.000
APR 2021	CK, KV40PC (Without SA)	19	19	100.000
All	All Categories, All Parameters	334	256	76.647
All	CK - All Parameters	334	256	76.647
All	CK, IRPH360	334	268	80.240
All	CK, IRPH360 (Without SA)	334	287	85.928
All	CK, KV40PC	334	279	83.533
All	CK, KV40PC (Without SA)	334	305	91.317




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T13

Status of Reported Tests






Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T13

Candidate Precision as Represented by Pooled S



Tuesday, April 20, 2021