

Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	1	2.632
Cancelled	4	10.526
Valid	33	86.842
Total Reported Tests	38	100.000

Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20221012	ACC-32773	Test Terminated At Sponsor Request.
2	20221220	ACC-33152	Test Terminated At Sponsor Request.
3	20230109	ACC-32916	Test Terminated At Sponsor Request
4	20230116	ACC-33262	Test Terminated At Sponsor Request
5	20230221	ACC-33367	Test Aborted Due To Loss Of Oil Charge

Replicate Database Report

Components of Replicate Database	APR 2023	All Periods
Number of Tests	.	10
Formulations	.	5
Labs	.	3
Stands	.	8

by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	IRPH360	5	28.6910	80.3347
All	KV40PC	5	25.9381	72.6266
All	IRPH360 (Without SA)	5	27.3862	76.6813
All	KV40PC (Without SA)	5	20.6900	57.9320

Pass/Fail
 IRPH360 <=125 KV40PC <=75

Report Period	API Category	N	Number Passed	% Passed
APR 2023	All Categories, All Parameters	33	30	90.909
APR 2023	CK - All Parameters	33	30	90.909
APR 2023	CK, IRPH360	33	31	93.939
APR 2023	CK, IRPH360 (Without SA)	33	31	93.939
APR 2023	CK, KV40PC	33	30	90.909
APR 2023	CK, KV40PC (Without SA)	33	33	100.000
All	All Categories, All Parameters	443	360	81.264
All	CK - All Parameters	443	360	81.264
All	CK, IRPH360	443	373	84.199
All	CK, IRPH360 (Without SA)	443	392	88.488
All	CK, KV40PC	443	383	86.456
All	CK, KV40PC (Without SA)	443	413	93.228




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T13

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T13

Candidate Precision as Represented by Pooled S

