

***T8 - Report Period: APR 2013
Status Of Reported Tests***

STATUS	COUNT	PERCENT
Valid	7	100
Total Reported Tests	7	100

***T8 - Report Period: APR 2013
Replicate Database Report***

Components of Replicate Database	APR 2013	All Periods
Number of Tests	.	35
Formulations	.	34
Labs	.	7
Stands	.	17

T8 - Report Period: APR 2013
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	VISI38	1	0.60104	1.68291
All	OILCON	1	0.05586	0.15641
All	VISI38 (Without SA)	1	0.60104	1.68291
All	XOILDP	0	0.00000	0.00000

T8 - Report Period: APR 2013
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
APR 2013	All Categories, All Parameters	7	7	100.000
APR 2013	CG-4 - All Parameters	7	7	100.000
APR 2013	CG-4, OILCON	7	7	100.000
APR 2013	CG-4, VISI38	7	7	100.000
APR 2013	CG-4, VISI38 (Without SA)	7	7	100.000
APR 2013	CG-4, XOILD P	7	7	100.000
All	All Categories, All Parameters	1234	846	68.558
All	CG-4 - All Parameters	1234	846	68.558
All	CG-4, OILCON	1234	1218	98.703
All	CG-4, VISI38	1234	870	70.502
All	CG-4, VISI38 (Without SA)	1234	866	70.178
All	CG-4, XOILD P	1234	1202	97.407




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8
Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Candidate Precision as Represented by Pooled S





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

T8

Candidate Precision as Represented by Pooled S

