

***III GB - Report Period: APR 2016***  
***Status Of Reported Tests***

STATUS	COUNT	PERCENT
Aborted	5	4.808
Invalid	1	0.962
Valid	98	94.231
Total Reported Tests	104	100.000

***III GB - Report Period: APR 2016***  
***Itemized Lost Test Report***

Obs	Date	TESTKEY	REASON
1	20151012	ACC-17056	Test Terminated At Test Hour 92 Due To Inability To Maintain Load, Afr, And Oil Temperature Control.
2	20151106	ACC-17237	Test Terminated At Test Hour 97 Due To A Failed Head Gasket.
3	20151125	ACC-17383	Test Terminated At Test Hour 1 Due To Loss Of Oil Charge.
4	20151207	ACC-17465	Test Was Terminated At Start Up Due To Connecting Rod Bearing Failure.
5	20151209	ACC-17138	Test Declared Invalid Due To An Automated Data Acquisition Failure. No Operational Data Was Logged During This Test.
6	20151230	ACC-17612	Test Terminated At Test Hour 98 Due To Low Oil Level.

***IIIGB - Report Period: APR 2016***  
***Replicate Database Report***

Components of Replicate Database	APR 2016	All Periods
Number of Tests	4	61
Formulations	2	29
Labs	1	6
Stands	1	16

**IIIGB - Report Period: APR 2016**  
**by-Formulation Pooled s and Reproducibility of Replicate Data**

Report Period	Parameter	Degrees of Freedom	Pooled s	R
APR 2016	PHOS	2	0.48808	1.36663
APR 2016	PHOS (Without SA)	2	0.48808	1.36663
All	PHOS	32	1.63876	4.58854
All	PHOS (Without SA)	32	1.53981	4.31147

**III GB - Report Period: APR 2016**  
**Pass/Fail**

Report Period	API Category	N	Number Passed	% Passed
APR 2016	All Categories, All Parameters	98	95	96.9388
APR 2016	SN - All Parameters	98	95	96.9388
APR 2016	SN, PHOS	98	95	96.9388
APR 2016	SN, PHOS (Without SA)	98	95	96.9388
All	All Categories, All Parameters	1428	1315	92.0868
All	SN - All Parameters	1428	1315	92.0868
All	SN, PHOS	1428	1315	92.0868
All	SN, PHOS (Without SA)	1428	1189	83.2633




# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIGB

Status of Reported Tests






# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIGB

Candidate Precision as Represented by Pooled S







# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIGB

Candidate Precision as Represented by Pooled S

