

IIHIB - Report Period: OCT 2018
Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	4	2.597
Valid	150	97.403
Total Reported Tests	154	100.000

IIHIB - Report Period: OCT 2018
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20180417	ACC-22674	Test Terminated @ 89:54 Hr Due To Loss Of Oil Temp Control.
2	20180516	ACC-22875	Test Terminated By The Laboratory At 10 Hours Due To High Oil Consumption Resulting From An Engine Build Error.
3	20180618	ACC-23064	Test Terminated At Test Hour 20 Due To Multiple Electronic Breakdowns.
4	20180807	ACC-23471	Test Terminated At Test Hour 82 Due To High Oil Consumption And Loss Of Oil Temperature Control.

IIHIB - Report Period: OCT 2018
Replicate Database Report

Components of Replicate Database	OCT 2018	All Periods
Number of Tests	1	11
Formulations	1	5
Labs	1	3
Stands	1	6

IIIB - Report Period: OCT 2018
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
OCT 2018	PHOS	0	0.00000	0.00000
OCT 2018	PHOS (Without SA)	0	0.00000	0.00000
All	PHOS	6	0.79930	2.23803
All	PHOS (Without SA)	6	1.04626	2.92953

IIHIB - Report Period: OCT 2018
Pass/Fail

Report Period	API Category	N	Number Passed	% Passed
OCT 2018	All Categories, All Parameters	150	144	96.0000
OCT 2018	ILSAC - All Parameters	150	144	96.0000
OCT 2018	ILSAC, PHOS	150	144	96.0000
OCT 2018	ILSAC, PHOS (Without SA)	150	143	95.3333
All	All Categories, All Parameters	491	457	93.0754
All	ILSAC - All Parameters	491	457	93.0754
All	ILSAC, PHOS	491	457	93.0754
All	ILSAC, PHOS (Without SA)	491	443	90.2240




Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIHB

Status of Reported Tests





Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

IIIHB

Candidate Precision as Represented by Pooled S

