

IIHIB - Report Period: OCT 2023
Where SAE vis grade is 0W-16, 0W-20, 0W-30, 5W-20, 5W-30, or 10W-30
Status Of Reported Tests

STATUS	COUNT	PERCENT
Aborted	1	1.667
Cancelled	1	1.667
Valid	58	96.667
Total Reported Tests	60	100.000

IIHBB - Report Period: OCT 2023
Where SAE vis grade is 0W-16, 0W-20, 0W-30, 5W-20, 5W-30, or 10W-30
Itemized Lost Test Report

Obs	Date	TESTKEY	REASON
1	20230808	ACC-34015	Test Terminated At Sponsor Request
2	20230824	ACC-34148	Test Aborted Due To Oil Leak

IIHIB - Report Period: OCT 2023
Where SAE vis grade is 0W-16, 0W-20, 0W-30, 5W-20, 5W-30, or 10W-30
Replicate Database Report

Components of Replicate Database	OCT 2023	All Periods
Number of Tests	.	15
Formulations	.	7
Labs	.	4
Stands	.	9

IIIB - Report Period: OCT 2023
Where SAE vis grade is 0W-16, 0W-20, 0W-30, 5W-20, 5W-30, or 10W-30
by-Formulation Pooled s and Reproducibility of Replicate Data

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	PHOS	8	0.81193	2.27342
All	PHOS (Without SA)	8	0.92900	2.60121

IIIB - Report Period: OCT 2023
Where SAE vis grade is 0W-16, 0W-20, 0W-30, 5W-20, 5W-30, or 10W-30
Pass/Fail
PHOS >=81.0

Report Period	API Category	N	Number Passed	% Passed
OCT 2023	All Categories, All Parameters	58	55	94.8276
OCT 2023	ILSAC - All Parameters	58	55	94.8276
OCT 2023	ILSAC, PHOS	58	55	94.8276
OCT 2023	ILSAC, PHOS (Without SA)	58	55	94.8276
All	All Categories, All Parameters	1386	1292	93.2179
All	ILSAC - All Parameters	1386	1292	93.2179
All	ILSAC, PHOS	1386	1292	93.2179
All	ILSAC, PHOS (Without SA)	1386	1279	92.2799

ACC Monitoring Agency

203 Armstrong Drive, Freeport, PA 16229, USA

<https://www.acc-ma.org>
412-365-1000

Services provided by:




A Program of ASTM International

IIIBB

Where SAE vis grade is 0W-16, 0W-20, 0W-30, 5W-20, 5W-30, or 10W-30

Status of Reported Tests



ACC Monitoring Agency

203 Armstrong Drive, Freeport, PA 16229, USA

<https://www.acc-ma.org>
412-365-1000

Services provided by:



A Program of ASTM International

IIIB

Where SAE vis grade is 0W-16, 0W-20, 0W-30, 5W-20, 5W-30, or 10W-30
Candidate Precision as Represented by Pooled S

