

**Status Of Reported Tests**

STATUS	COUNT	PERCENT
Aborted	1	8.333
Cancelled	2	16.667
Valid	9	75.000
Total Reported Tests	12	100.000

**Itemized Lost Test Report**

Obs	Date	TESTKEY	REASON
1	20221102	ACC-32896	Test Terminated At Sponsor Request.
2	20230303	ACC-33402	No Explanation Available
3	20230316	ACC-33489	Test Terminated Due To Erratic Speed Control

**Replicate Database Report**

Components of Replicate Database	APR 2023	All Periods
Number of Tests	.	128
Formulations	.	56
Labs	.	6
Stands	.	24

**by-Formulation Pooled s and Reproducibility of Replicate Data**

Report Period	Parameter	Degrees of Freedom	Pooled s	R
All	ACW	72	30.2064	84.5779
All	ACW (Without SA)	72	30.6778	85.8978

**Pass/Fail**  
**ACW <=90**

Report Period	API Category	N	Number Passed	% Passed
APR 2023	All Categories, All Parameters	9	7	77.7778
APR 2023	SN - All Parameters	9	7	77.7778
APR 2023	SN, ACW	9	7	77.7778
APR 2023	SN, ACW (Without SA)	9	7	77.7778
All	All Categories, All Parameters	2549	1760	69.0467
All	SN - All Parameters	2549	1760	69.0467
All	SN, ACW	2549	1760	69.0467
All	SN, ACW (Without SA)	2549	1767	69.3213




# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

## IVA

### Status of Reported Tests





# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

## IVA

Candidate Precision as Represented by Pooled S

