

**VIF vis grade 0W-16 - Report Period: OCT 2018**  
**Status Of Reported Tests**

<b>STATUS</b>	<b>COUNT</b>	<b>PERCENT</b>
Valid	27	100
Total Reported Tests	27	100

**VIF vis grade 0W-16 - Report Period: OCT 2018**  
**Replicate Database Report**

<b>Components of Replicate Database</b>	<b>OCT 2018</b>	<b>All Periods</b>
Number of Tests	.	.
Formulations	.	.
Labs	.	.
Stands	.	.

**VIF vis grade 0W-16 - Report Period: OCT 2018  
Pass/Fail**

Report Period	API Category	N	Number Passed	% Passed
OCT 2018	All Categories, All Parameters	27	0	0.0000
OCT 2018	ILSAC - All Parameters	27	0	0.0000
OCT 2018	ILSAC, FEI2	27	3	11.1111
OCT 2018	ILSAC, FEI2 (Without SA)	27	1	3.7037
OCT 2018	ILSAC, FEISUM	27	1	3.7037
All	All Categories, All Parameters	53	.	.
All	ILSAC - All Parameters	53	.	.
All	ILSAC, FEI2	53	3	5.6604
All	ILSAC, FEI2 (Without SA)	53	1	1.8868
All	ILSAC, FEISUM	53	2	3.7736



# Monitoring Agency

6555 Penn Avenue, Pittsburgh, PA 15206

<https://acc-ma.org>

VIF vis grade OW-16  
Status of Reported Tests



